

No.: ETR22A04789M01 Date: 10-Nov-2022

HD MICROSYSTEMS

250 CHEESEQUAKE ROAD-BLDG. 424, PARLIN, NJ 08859-1241

The following sample(s) was/were submitted and identified by the applicant as:

31-Oct-2022

Sample Submitted By : HD MICROSYSTEMS
Sample Name : POLYIMIDE PRECURSOR

Style/Item No. : HD4100

Sample Receiving Date :

Testing Period : 31-Oct-2022 to 04-Nov-2022

Test Requested: (1) As specified by client, with reference to RoHS 2011/65/EU Annex II and amending

Directive (EU) 2015/863 to determine Cadmium, Lead, Mercury, Cr(VI), PBBs,

PBDEs, DBP, BBP, DEHP, DIBP contents in the submitted sample(s).

(2) As specified by client, to test PAHs and other item(s).

Test Results: Please refer to following pages.

Conclusion : (2) Based upon the performed tests on the submitted sample(s), the test results of

PAHs (15 items) comply with the limits of PAHs requirement (Category 1) as set by

German Committee on Product Safety (AfPS) GS PAHs.

Troy Chang / Department Malager Signed for and on behalf of SGS TAIWAN LTD. Chemical Laboratory - Taipei



Page: 1 of 44

IN CODE: 3A24D37I



No.: ETR22A04789M01 Date: 10-Nov-2022 Page: 2 of 44

HD MICROSYSTEMS 250 CHEESEQUAKE ROAD-BLDG. 424, PARLIN, NJ 08859-1241

Test Part Description

No.1 : TRANSPARENT BROWN GLUE

Test Result(s)

Test Item(s)	Method	Unit	MDL	Result	Limit
				No.1	
Cadmium (Cd) (CAS No.: 7440-43-9)	With reference to IEC 62321-5: 2013,	mg/kg	2	n.d.	-
	analysis was performed by ICP-OES.				
Lead (Pb) (CAS No.: 7439-92-1)	With reference to IEC 62321-5: 2013,	mg/kg	2	n.d.	-
	analysis was performed by ICP-OES.				
Mercury (Hg) (CAS No.: 7439-97-6)	With reference to IEC 62321-4: 2013+	mg/kg	2	n.d.	-
	AMD1: 2017, analysis was performed				
	by ICP-OES.				
Hexavalent Chromium Cr(VI) (CAS No.:	With reference to IEC 62321-7-2:	mg/kg	8	n.d.	-
18540-29-9)	2017, analysis was performed by UV-				
	VIS.				
Monobromobiphenyl	n	mg/kg	5	n.d.	-
Dibromobiphenyl		mg/kg	5	n.d.	-
Tribromobiphenyl		mg/kg	5	n.d.	-
Tetrabromobiphenyl		mg/kg	5	n.d.	-
Pentabromobiphenyl		mg/kg	5	n.d.	-
Hexabromobiphenyl		mg/kg	5	n.d.	-
Heptabromobiphenyl		mg/kg	5	n.d.	-
Octabromobiphenyl		mg/kg	5	n.d.	-
Nonabromobiphenyl		mg/kg	5	n.d.	-
Decabromobiphenyl		mg/kg	5	n.d.	-
Sum of PBBs	With reference to IEC 62321-6: 2015,	mg/kg	1	n.d.	-
Monobromodiphenyl ether	analysis was performed by GC/MS.	mg/kg	5	n.d.	-
Dibromodiphenyl ether		mg/kg	5	n.d.	-
Tribromodiphenyl ether		mg/kg	5	n.d.	-
Tetrabromodiphenyl ether		mg/kg	5	n.d.	-
Pentabromodiphenyl ether		mg/kg	5	n.d.	-
Hexabromodiphenyl ether		mg/kg	5	n.d.	-
Heptabromodiphenyl ether		mg/kg	5	n.d.	-
Octabromodiphenyl ether		mg/kg	5	n.d.	-
Nonabromodiphenyl ether		mg/kg	5	n.d.	-
Decabromodiphenyl ether		mg/kg	5	n.d.	-
Sum of PBDEs		mg/kg	1	n.d.	-



No.: ETR22A04789M01 Date: 10-Nov-2022 Page: 3 of 44

HD MICROSYSTEMS 250 CHEESEQUAKE ROAD-BLDG. 424, PARLIN, NJ 08859-1241

Butyl benzyl phthalate (BBP) (CAS No.: With reference to IEC 62321-8: 2017, analysis was performed by GC/MS. Dibutyl phthalate (DBP) (CAS No.: 84-74-2) Di-(2-ethylhexyl) phthalate (DEHP) (CAS No.: 117-81-7) Diisobutyl phthalate (DIBP) (CAS No.: With reference to IEC 62321-8: 2017, analysis was performed by GC/MS. Di-(2-ethylhexyl) phthalate (DIBP) (CAS No.: With reference to IEC 62321-8: 2017, analysis was performed by GC/MS. Diisobutyl phthalate (DIBP) (CAS No.: With reference to IEC 62321-8: 2017, analysis was performed by GC/MS. Di-n-pentyl phthalate (DNPP) (CAS No.: With reference to IEC 62321-8: 2017, analysis was performed by GC/MS. Di-n-hexyl phthalate (DNPP) (CAS No.: With reference to IEC 62321-8: 2017, analysis was performed by GC/MS. Di-n-hexyl phthalate (DNPP) (CAS No.: With reference to IEC 62321-8: 2017, analysis was performed by GC/MS. Diisodecyl phthalate (DIDP) (CAS No.: With reference to IEC 62321-8: 2017, analysis was performed by GC/MS. Diisononyl phthalate (DINP) (CAS No.: With reference to IEC 62321-8: 2017, analysis was performed by GC/MS. Diisononyl phthalate (DINP) (CAS No.: With reference to IEC 62321-8: 2017, analysis was performed by GC/MS. Diisononyl phthalate (DINP) (CAS No.: With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.	Test Item(s)	Method	Unit	MDL	Result	Limit
85-68-7) analysis was performed by GC/MS. Dibutyl phthalate (DBP) (CAS No.: 84- 74-2) With reference to IEC 62321-8: 2017, mg/kg 50 n.d. Di-(2-ethylhexyl) phthalate (DEHP) With reference to IEC 62321-8: 2017, mg/kg 50 n.d. CAS No.: 117-81-7) Analysis was performed by GC/MS. Diisobutyl phthalate (DIBP) (CAS No.: with reference to IEC 62321-8: 2017, analysis was performed by GC/MS. Di-n-pentyl phthalate (DNPP) (CAS No.: With reference to IEC 62321-8: 2017, analysis was performed by GC/MS. Di-n-hexyl phthalate (DNPP) (CAS No.: with reference to IEC 62321-8: 2017, analysis was performed by GC/MS. Di-n-hexyl phthalate (DNHP) (CAS No.: with reference to IEC 62321-8: 2017, analysis was performed by GC/MS. Diisodecyl phthalate (DIDP) (CAS No.: with reference to IEC 62321-8: 2017, analysis was performed by GC/MS. Diisodecyl phthalate (DIDP) (CAS No.: with reference to IEC 62321-8: 2017, analysis was performed by GC/MS. Diisononyl phthalate (DINP) (CAS No.: with reference to IEC 62321-8: 2017, analysis was performed by GC/MS. Diisononyl phthalate (DINP) (CAS No.: with reference to IEC 62321-8: 2017, analysis was performed by GC/MS. Diisononyl phthalate (DINP) (CAS No.: with reference to IEC 62321-8: 2017, analysis was performed by GC/MS. Diisononyl phthalate (DINP) (CAS No.: with reference to IEC 62321-8: 2017, analysis was performed by GC/MS.					No.1	
Dibutyl phthalate (DBP) (CAS No.: 84- 74-2) Di-(2-ethylhexyl) phthalate (DEHP) (CAS No.: 117-81-7) Diisobutyl phthalate (DIBP) (CAS No.: With reference to IEC 62321-8: 2017, analysis was performed by GC/MS. Diisobutyl phthalate (DIBP) (CAS No.: With reference to IEC 62321-8: 2017, analysis was performed by GC/MS. Di-n-pentyl phthalate (DNPP) (CAS No.: With reference to IEC 62321-8: 2017, analysis was performed by GC/MS. Di-n-hexyl phthalate (DNHP) (CAS No.: With reference to IEC 62321-8: 2017, analysis was performed by GC/MS. Di-n-hexyl phthalate (DNHP) (CAS No.: With reference to IEC 62321-8: 2017, analysis was performed by GC/MS. Diisodecyl phthalate (DIDP) (CAS No.: With reference to IEC 62321-8: 2017, analysis was performed by GC/MS. Diisodesyl phthalate (DIDP) (CAS No.: With reference to IEC 62321-8: 2017, analysis was performed by GC/MS. Diisononyl phthalate (DINP) (CAS No.: With reference to IEC 62321-8: 2017, analysis was performed by GC/MS. With reference to IEC 62321-8: 2017, analysis was performed by GC/MS. Diisononyl phthalate (DINP) (CAS No.: analysis was performed by GC/MS. With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.	Butyl benzyl phthalate (BBP) (CAS No.:	With reference to IEC 62321-8: 2017,	mg/kg	50	n.d.	-
74-2) Di-(2-ethylhexyl) phthalate (DEHP) (CAS No.: 117-81-7) Diisobutyl phthalate (DIBP) (CAS No.: With reference to IEC 62321-8: 2017, analysis was performed by GC/MS. Di-n-pentyl phthalate (DNPP) (CAS No.: With reference to IEC 62321-8: 2017, analysis was performed by GC/MS. Di-n-hexyl phthalate (DNPP) (CAS No.: with reference to IEC 62321-8: 2017, analysis was performed by GC/MS. Di-n-hexyl phthalate (DNHP) (CAS No.: With reference to IEC 62321-8: 2017, analysis was performed by GC/MS. Diisodecyl phthalate (DIDP) (CAS No.: with reference to IEC 62321-8: 2017, analysis was performed by GC/MS. Diisodecyl phthalate (DIDP) (CAS No.: with reference to IEC 62321-8: 2017, analysis was performed by GC/MS. Diisononyl phthalate (DINP) (CAS No.: with reference to IEC 62321-8: 2017, analysis was performed by GC/MS. Diisononyl phthalate (DINP) (CAS No.: with reference to IEC 62321-8: 2017, analysis was performed by GC/MS. Diisononyl phthalate (DINP) (CAS No.: with reference to IEC 62321-8: 2017, analysis was performed by GC/MS.	85-68-7)	analysis was performed by GC/MS.				
Di-(2-ethylhexyl) phthalate (DEHP) (CAS No.: 117-81-7) Diisobutyl phthalate (DIBP) (CAS No.: With reference to IEC 62321-8: 2017, analysis was performed by GC/MS. Di-n-pentyl phthalate (DNPP) (CAS No.: With reference to IEC 62321-8: 2017, analysis was performed by GC/MS. Di-n-hexyl phthalate (DNPP) (CAS No.: With reference to IEC 62321-8: 2017, analysis was performed by GC/MS. Di-n-hexyl phthalate (DNHP) (CAS No.: With reference to IEC 62321-8: 2017, analysis was performed by GC/MS. Diisodecyl phthalate (DIDP) (CAS No.: With reference to IEC 62321-8: 2017, analysis was performed by GC/MS. Diisodecyl phthalate (DIDP) (CAS No.: With reference to IEC 62321-8: 2017, analysis was performed by GC/MS. Diisononyl phthalate (DINP) (CAS No.: With reference to IEC 62321-8: 2017, analysis was performed by GC/MS. Diisononyl phthalate (DINP) (CAS No.: analysis was performed by GC/MS. With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.	Dibutyl phthalate (DBP) (CAS No.: 84-	With reference to IEC 62321-8: 2017,	mg/kg	50	n.d.	-
(CAS No.: 117-81-7) Diisobutyl phthalate (DIBP) (CAS No.: With reference to IEC 62321-8: 2017, analysis was performed by GC/MS. Di-n-pentyl phthalate (DNPP) (CAS No.: With reference to IEC 62321-8: 2017, analysis was performed by GC/MS. Di-n-hexyl phthalate (DNHP) (CAS No.: With reference to IEC 62321-8: 2017, analysis was performed by GC/MS. Di-n-hexyl phthalate (DNHP) (CAS No.: With reference to IEC 62321-8: 2017, analysis was performed by GC/MS. Diisodecyl phthalate (DIDP) (CAS No.: With reference to IEC 62321-8: 2017, analysis was performed by GC/MS. Diisononyl phthalate (DINP) (CAS No.: With reference to IEC 62321-8: 2017, analysis was performed by GC/MS. Diisononyl phthalate (DINP) (CAS No.: analysis was performed by GC/MS. With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.	,	analysis was performed by GC/MS.				
Diisobutyl phthalate (DIBP) (CAS No.: 84-69-5) Di-n-pentyl phthalate (DNPP) (CAS No.: With reference to IEC 62321-8: 2017, analysis was performed by GC/MS. Di-n-hexyl phthalate (DNHP) (CAS No.: analysis was performed by GC/MS. Di-n-hexyl phthalate (DNHP) (CAS No.: With reference to IEC 62321-8: 2017, analysis was performed by GC/MS. Diisodecyl phthalate (DIDP) (CAS No.: analysis was performed by GC/MS. Diisodecyl phthalate (DIDP) (CAS No.: analysis was performed by GC/MS. Diisononyl phthalate (DINP) (CAS No.: analysis was performed by GC/MS. Diisononyl phthalate (DINP) (CAS No.: analysis was performed by GC/MS. With reference to IEC 62321-8: 2017, analysis was performed by GC/MS. Diisononyl phthalate (DINP) (CAS No.: analysis was performed by GC/MS.	Di-(2-ethylhexyl) phthalate (DEHP)	With reference to IEC 62321-8: 2017,	mg/kg	50	n.d.	-
analysis was performed by GC/MS. Di-n-pentyl phthalate (DNPP) (CAS No.: With reference to IEC 62321-8: 2017, analysis was performed by GC/MS. Di-n-hexyl phthalate (DNHP) (CAS No.: With reference to IEC 62321-8: 2017, analysis was performed by GC/MS. Diisodecyl phthalate (DIDP) (CAS No.: With reference to IEC 62321-8: 2017, analysis was performed by GC/MS. Diisodecyl phthalate (DIDP) (CAS No.: With reference to IEC 62321-8: 2017, analysis was performed by GC/MS. Diisononyl phthalate (DINP) (CAS No.: With reference to IEC 62321-8: 2017, analysis was performed by GC/MS. Diisononyl phthalate (DINP) (CAS No.: With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.	(CAS No.: 117-81-7)	analysis was performed by GC/MS.				
Di-n-pentyl phthalate (DNPP) (CAS No.: analysis was performed by GC/MS. Di-n-hexyl phthalate (DNHP) (CAS No.: With reference to IEC 62321-8: 2017, analysis was performed by GC/MS. Diisodecyl phthalate (DIDP) (CAS No.: analysis was performed by GC/MS. Diisodecyl phthalate (DIDP) (CAS No.: analysis was performed by GC/MS. Diisononyl phthalate (DINP) (CAS No.: analysis was performed by GC/MS. Diisononyl phthalate (DINP) (CAS No.: analysis was performed by GC/MS. With reference to IEC 62321-8: 2017, analysis was performed by GC/MS. Diisononyl phthalate (DINP) (CAS No.: analysis was performed by GC/MS.	Diisobutyl phthalate (DIBP) (CAS No.:	With reference to IEC 62321-8: 2017,	mg/kg	50	n.d.	-
analysis was performed by GC/MS. Di-n-hexyl phthalate (DNHP) (CAS No.: 84-75-3) Diisodecyl phthalate (DIDP) (CAS No.: analysis was performed by GC/MS. With reference to IEC 62321-8: 2017, analysis was performed by GC/MS. With reference to IEC 62321-8: 2017, analysis was performed by GC/MS. Diisononyl phthalate (DINP) (CAS No.: analysis was performed by GC/MS. With reference to IEC 62321-8: 2017, analysis was performed by GC/MS. With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.	84-69-5)	analysis was performed by GC/MS.				
Di-n-hexyl phthalate (DNHP) (CAS No.: 84-75-3) With reference to IEC 62321-8: 2017, analysis was performed by GC/MS. Diisodecyl phthalate (DIDP) (CAS No.: 26761-40-0, 68515-49-1) With reference to IEC 62321-8: 2017, analysis was performed by GC/MS. Diisononyl phthalate (DINP) (CAS No.: With reference to IEC 62321-8: 2017, analysis was performed by GC/MS. With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.	Di-n-pentyl phthalate (DNPP) (CAS No.:	With reference to IEC 62321-8: 2017,	mg/kg	50	n.d.	-
analysis was performed by GC/MS. Diisodecyl phthalate (DIDP) (CAS No.: With reference to IEC 62321-8: 2017, analysis was performed by GC/MS. Diisononyl phthalate (DINP) (CAS No.: With reference to IEC 62321-8: 2017, analysis was performed by GC/MS. With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.	131-18-0)	analysis was performed by GC/MS.				
Diisodecyl phthalate (DIDP) (CAS No.: With reference to IEC 62321-8: 2017, analysis was performed by GC/MS. Diisononyl phthalate (DINP) (CAS No.: With reference to IEC 62321-8: 2017, analysis was performed by GC/MS. With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.	Di-n-hexyl phthalate (DNHP) (CAS No.:	With reference to IEC 62321-8: 2017,	mg/kg	50	n.d.	-
26761-40-0, 68515-49-1) analysis was performed by GC/MS. Diisononyl phthalate (DINP) (CAS No.: With reference to IEC 62321-8: 2017, mg/kg 50 n.d 28553-12-0, 68515-48-0) analysis was performed by GC/MS.	84-75-3)	analysis was performed by GC/MS.				
Diisononyl phthalate (DINP) (CAS No.: With reference to IEC 62321-8: 2017, mg/kg 50 n.d 28553-12-0, 68515-48-0) analysis was performed by GC/MS.	Diisodecyl phthalate (DIDP) (CAS No.:	With reference to IEC 62321-8: 2017,	mg/kg	50	n.d.	_
28553-12-0, 68515-48-0) analysis was performed by GC/MS.	26761-40-0, 68515-49-1)	analysis was performed by GC/MS.				
	Diisononyl phthalate (DINP) (CAS No.:	With reference to IEC 62321-8: 2017,	mg/kg	50	n.d.	_
	28553-12-0, 68515-48-0)	analysis was performed by GC/MS.				
Di-n-octyl phthalate (DNOP) (CAS No.: With reference to IEC 62321-8: 2017, mg/kg 50 n.d. -	Di-n-octyl phthalate (DNOP) (CAS No.:	With reference to IEC 62321-8: 2017,	mg/kg	50	n.d.	_
analysis was performed by GC/MS.	117-84-0)	analysis was performed by GC/MS.				
Fluorine (F) (CAS No.: 14762-94-8) With reference to BS EN 14582: 2016, mg/kg 50 102 -	Fluorine (F) (CAS No.: 14762-94-8)	With reference to BS EN 14582: 2016,	mg/kg	50	102	-
analysis was performed by IC.		analysis was performed by IC.				
Chlorine (Cl) (CAS No.: 22537-15-1) With reference to BS EN 14582: 2016, mg/kg 50 n.d	Chlorine (Cl) (CAS No.: 22537-15-1)	With reference to BS EN 14582: 2016,	mg/kg	50	n.d.	-
analysis was performed by IC.		analysis was performed by IC.				
Bromine (Br) (CAS No.: 10097-32-2) With reference to BS EN 14582: 2016, mg/kg 50 n.d	Bromine (Br) (CAS No.: 10097-32-2)	With reference to BS EN 14582: 2016,	mg/kg	50	n.d.	_
analysis was performed by IC.		analysis was performed by IC.				
Iodine (I) (CAS No.: 14362-44-8) With reference to BS EN 14582: 2016, mg/kg 50 n.d	lodine (I) (CAS No.: 14362-44-8)	With reference to BS EN 14582: 2016,	mg/kg	50	n.d.	-
analysis was performed by IC.		analysis was performed by IC.				
Hexabromocyclododecane (HBCDD) With reference to IEC 62321: 2008, mg/kg 5 n.d	Hexabromocyclododecane (HBCDD)	With reference to IEC 62321: 2008,	mg/kg	5	n.d.	-
and all major diastereoisomers analysis was performed by GC/MS.	and all major diastereoisomers	analysis was performed by GC/MS.				
identified (α- HBCDD, β- HBCDD, γ-	identified (α- HBCDD, β- HBCDD, γ-					
HBCDD) (CAS No.: 25637-99-4, 3194-	HBCDD) (CAS No.: 25637-99-4, 3194-					
55-6 (134237-51-7, 134237-50-6,	55-6 (134237-51-7, 134237-50-6,					
134237-52-8))	134237-52-8))					



No.: ETR22A04789M01 Date: 10-Nov-2022 Page: 4 of 44

HD MICROSYSTEMS 250 CHEESEQUAKE ROAD-BLDG. 424, PARLIN, NJ 08859-1241

Test Item(s)	Method	Unit	MDL	Result	Limit
				No.1	
PFOS and its salts (CAS No.: 1763-23-1 and its salts)	With reference to CEN/TS 15968: 2010, analysis was performed by	mg/kg	0.01	n.d.	-
,	LC/MS/MS.				
PFOA and its salts (CAS No.: 335-67-1	With reference to CEN/TS 15968:	mg/kg	0.01	n.d.	-
and its salts)	2010, analysis was performed by LC/MS/MS.				
Antimony (Sb) (CAS No.: 7440-36-0)	With reference to US EPA 3052: 1996, analysis was performed by ICP-OES.	mg/kg	2	n.d.	-
Beryllium (Be) (CAS No.: 7440-41-7)	With reference to US EPA 3052: 1996, analysis was performed by ICP-OES.	mg/kg	2	n.d.	-
Arsenic (As) (CAS No.: 7440-38-2)	With reference to US EPA 3052: 1996, analysis was performed by ICP-OES.	mg/kg	2	n.d.	-
Polychlorinated terphenyls (PCTs)	With reference to US EPA 3550C: 2007, analysis was performed by GC/MS.	mg/kg	0.5	n.d.	-
Polychlorinated naphthalene (PCNs)	With reference to US EPA 3550C: 2007, analysis was performed by GC/MS.	mg/kg	5	n.d.	-
Polychlorinated biphenyls (PCBs)	With reference to US EPA 3550C: 2007, analysis was performed by GC/MS.	mg/kg	0.5	n.d.	-
Short Chain Chlorinated Paraffins(C10-C13) (SCCP) (CAS No.: 85535-84-8)	With reference to ISO 18219: 2015, analysis was performed by GC/MS.	mg/kg	50	n.d.	-
Tributyl tin (TBT)	With reference to ISO 17353: 2004, analysis was performed by GC/FPD.	mg/kg	0.03	n.d.	-
Bis(tributyltin) oxide (TBTO) (CAS No.: 56-35-9)	Calculated from the result of Tributyl Tin (TBT).	mg/kg	0.03 🛦	n.d.	-
Triphenyl tin (TPT)	With reference to ISO 17353: 2004, analysis was performed by GC/FPD.	mg/kg	0.03	n.d.	-
Dibutyl tin (DBT)	With reference to ISO 17353: 2004, analysis was performed by GC/FPD.	mg/kg	0.03	n.d.	-
Dioctyl tin (DOT)	With reference to ISO 17353: 2004, analysis was performed by GC/FPD.	mg/kg	0.03	n.d.	-



No.: ETR22A04789M01 Date: 10-Nov-2022 Page: 5 of 44

HD MICROSYSTEMS 250 CHEESEQUAKE ROAD-BLDG. 424, PARLIN, NJ 08859-1241

Test Item(s)	Method	Unit	MDL	Result No.1	Limit
AZO Dyes					
4-aminodiphenyl (CAS No.: 92-67-1)	With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.	mg/kg	3	n.d.	-
Benzidine (CAS No.: 92-87-5)	With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.	mg/kg	3	n.d.	-
4-chloro-o-toluidine (CAS No.: 95-69- 2)	With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.	mg/kg	3	n.d.	-
2-naphthylamine (CAS No.: 91-59-8)	With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.	mg/kg	3	n.d.	-
o-aminoazotoluene (CAS No.: 97-56-3)	With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.	mg/kg	3	n.d.	-
5-nitro-o-toluidine (CAS No.: 99-55-8)	With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.	mg/kg	3	n.d.	-
4-chloroaniline (CAS No.: 106-47-8)	With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.	mg/kg	3	n.d.	-
2,4-diaminoanisole (CAS No.: 615-05-4)	With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.	mg/kg	3	n.d.	-
4,4'-diaminodiphenylmethane (MDA) (CAS No.: 101-77-9)	With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.	mg/kg	3	n.d.	-
3,3'-dichlorobenzidine (CAS No.: 91- 94-1)	With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.	mg/kg	3	n.d.	-
3,3'-dimethoxybenzidine (CAS No.: 119-90-4)	With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.	mg/kg	3	n.d.	-



No.: ETR22A04789M01 Date: 10-Nov-2022 Page: 6 of 44

HD MICROSYSTEMS 250 CHEESEQUAKE ROAD-BLDG. 424, PARLIN, NJ 08859-1241

Test Item(s)	Method	Unit	MDL	Result No.1	Limit
3,3'-dimethylbenzidine (CAS No.: 119- 93-7)	With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.	mg/kg	3	n.d.	-
3,3'-dimethyl-4,4'- diaminodiphenylmethane (CAS No.: 838-88-0)	With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.	mg/kg	3	n.d.	-
2-methoxy-5-methylaniline (CAS No.: 120-71-8)	With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.	mg/kg	3	n.d.	-
4,4'-methylene-bis-(2-chloroaniline) (CAS No.: 101-14-4)	With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.	mg/kg	3	n.d.	-
4,4'-oxydianiline (CAS No.: 101-80-4)	With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.	mg/kg	3	n.d.	-
4,4'-thiodianiline (CAS No.: 139-65-1)	With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.	mg/kg	3	n.d.	-
o-toluidine (CAS No.: 95-53-4)	With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.	mg/kg	3	n.d.	-
2,4-diaminotoluene (CAS No.: 95-80-7)	With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.	mg/kg	3	n.d.	-
2,4,5-trimethylaniline (CAS No.: 137- 17-7)	With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.	mg/kg	3	n.d.	-
o-anisidine (CAS No.: 90-04-0)	With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.	mg/kg	3	n.d.	-
4-aminoazobenzene (CAS No.: 60-09-3)	With reference to EN ISO 14362-1: 2017 or/and EN ISO 14362-3: 2017, analysis was performed by GC/MS & HPLC/DAD.	mg/kg	3	n.d.	-



No.: ETR22A04789M01 Date: 10-Nov-2022 Page: 7 of 44

HD MICROSYSTEMS 250 CHEESEQUAKE ROAD-BLDG. 424, PARLIN, NJ 08859-1241

Test Item(s)	Method	Unit	MDL	Result	Limit
2,4-xylidine (CAS No.: 95-68-1)	With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.	mg/kg	3	No.1 n.d.	-
2,6-xylidine (CAS No.: 87-62-7)	With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.	mg/kg	3	n.d.	-
Polyvinyl chloride (PVC)	With reference to ASTM E1252: 2013, analysis was performed by FT-IR and Flame Test.	**	-	Negative	-
Formaldehyde (CAS No.: 50-00-0)	With reference to ISO 17226-1: 2021, analysis was performed by LC/DAD.	mg/kg	3	n.d.	-
Asbestos					
Actinolite (CAS No.: 77536-66-4)		-	-	Negative	-
Amosite (CAS No.: 12172-73-5)	With reference to EPA 600/R-93/116:	-	-	Negative	-
Anthophyllite (CAS No.: 77536-67-5)	1993, analysis was performed by Stereo Microscope (SM), Dispersion	-	-	Negative	-
Chrysotile (CAS No.: 12001-29-5)	Staining Polarized Light Microscope (DS-PLM) and X-ray Diffraction	-	-	Negative	-
Crocidolite (CAS No.: 12001-28-4)	Spectrometer (XRD).	-	-	Negative	-
Tremolite (CAS No.: 77536-68-6)		-	-	Negative	-
Chlorofluorocarbons (CFCs)					
CFC-13 (CAS No.: 75-72-9)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
CFC-111 (CAS No.: 354-56-3)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
CFC-112 (CAS No.: 76-12-0)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-



No.: ETR22A04789M01 Date: 10-Nov-2022 Page: 8 of 44

HD MICROSYSTEMS 250 CHEESEQUAKE ROAD-BLDG. 424, PARLIN, NJ 08859-1241

Test Item(s)	Method	Unit	MDL	Result No.1	Limit
CFC-211 (CAS No.: 422-78-6)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
CFC-212 (CAS No.: 3182-26-1)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
CFC-213 (CAS No.: 2354-06-5)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
CFC-214 (CAS No.: 29255-31-0)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
CFC-215 (CAS No.: 4259-43-2)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
CFC-216 (CAS No.: 661-97-2)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
CFC-217 (CAS No.: 422-86-6)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
CFC-12 (CAS No.: 75-71-8)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
CFC-11 (CAS No.: 75-69-4)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
CFC-115 (CAS No.: 76-15-3)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
CFC-114 (CAS No.: 76-14-2)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
CFC-113 (CAS No.: 76-13-1)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-



No.: ETR22A04789M01 Date: 10-Nov-2022 Page: 9 of 44

HD MICROSYSTEMS 250 CHEESEQUAKE ROAD-BLDG. 424, PARLIN, NJ 08859-1241

Test Item(s)	Method	Unit	MDL	Result	Limit
				No.1	
Hydrochlorofluorocarbons (HCFCs)					
HCFC-21 (CAS No.: 75-43-4)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HCFC-22 (CAS No.: 75-45-6)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HCFC-31 (CAS No.: 593-70-4)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HCFC-121 (CAS No.: 354-14-3)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HCFC-122 (CAS No.: 354-21-2)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HCFC-123 (CAS No.: 306-83-2)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HCFC-124 (CAS No.: 2837-89-0)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HCFC-131 (CAS No.: 359-28-4)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HCFC-132b (CAS No.: 1649-08-7)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HCFC-133a (CAS No.: 75-88-7)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HCFC-142b (CAS No.: 75-68-3)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-



No.: ETR22A04789M01 Date: 10-Nov-2022 Page: 10 of 44

HD MICROSYSTEMS 250 CHEESEQUAKE ROAD-BLDG. 424, PARLIN, NJ 08859-1241

Test Item(s)	Method	Unit	MDL	Result	Limit
HCFC-221 (CAS No.: 422-26-4)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	No.1 n.d.	-
HCFC-222 (CAS No.: 422-49-1)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HCFC-223 (CAS No.: 422-52-6)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HCFC-224 (CAS No.: 422-54-8)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HCFC-225ca (CAS No.: 422-56-0)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HCFC-225cb (CAS No.: 507-55-1)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HCFC-226 (CAS No.: 431-87-8)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HCFC-231 (CAS No.: 421-94-3)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HCFC-232 (CAS No.: 460-89-9)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HCFC-233 (CAS No.: 7125-84-0)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HCFC-234 (CAS No.: 425-94-5)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HCFC-235 (CAS No.: 460-92-4)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-



No.: ETR22A04789M01 Date: 10-Nov-2022 Page: 11 of 44

HD MICROSYSTEMS 250 CHEESEQUAKE ROAD-BLDG. 424, PARLIN, NJ 08859-1241

Test Item(s)	Method	Unit	MDL	Result	Limit
HCFC-241 (CAS No.: 666-27-3)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	No.1 n.d.	-
HCFC-242 (CAS No.: 460-63-9)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HCFC-244	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HCFC-251 (CAS No.: 421-41-0)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HCFC-252 (CAS No.: 819-00-1)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HCFC-261 (CAS No.: 420-97-3)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HCFC-262 (CAS No.: 421-02-03)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HCFC-271 (CAS No.: 430-55-7)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HCFC-141b (CAS No.: 1717-00-6)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HCFC-243 (CAS No.: 460-69-5)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HCFC-253 (CAS No.: 460-35-5)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HCFC-141	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-



No.: ETR22A04789M01 Date: 10-Nov-2022 Page: 12 of 44

HD MICROSYSTEMS 250 CHEESEQUAKE ROAD-BLDG. 424, PARLIN, NJ 08859-1241

Test Item(s)	Method	Unit	MDL	Result	Limit
				No.1	
HCFC-142	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HCFC-151	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HCFC-225	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
Halons					
Halon-1211 (CAS No.: 353-59-3)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
Halon-1301 (CAS No.: 75-63-8)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
Halon-2402 (CAS No.: 124-73-2)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
Methyl Bromide (CAS No.: 74-83-9)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
Hydrobromofluorocarbons (HBFCs)					
HBFC-271B1 (C3H6FBr)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HBFC-262B1 (C3H5F2Br)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HBFC-261B2 (C3H5FBr2)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HBFC-253B1 (C3H4F3Br)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-



No.: ETR22A04789M01 Date: 10-Nov-2022 Page: 13 of 44

HD MICROSYSTEMS 250 CHEESEQUAKE ROAD-BLDG. 424, PARLIN, NJ 08859-1241

Test Item(s)	Method	Unit	MDL	Result	Limit
				No.1	
HBFC-252B2 (C3H4F2Br2)	With reference to US EPA 5021A:	mg/kg	1	n.d.	-
	2014, analysis was performed by				
	GC/MS.				
HBFC-251B3 (C3H4FBr3)	With reference to US EPA 5021A:	mg/kg	1	n.d.	-
	2014, analysis was performed by				
	GC/MS.				
HBFC-244B1 (C3H3F4Br)	With reference to US EPA 5021A:	mg/kg	1	n.d.	-
	2014, analysis was performed by				
	GC/MS.				
HBFC-243B2 (C3H3F3Br2)	With reference to US EPA 5021A:	mg/kg	1	n.d.	-
	2014, analysis was performed by				
	GC/MS.				
HBFC-242B3 (C3H3F2Br3)	With reference to US EPA 5021A:	mg/kg	1	n.d.	-
	2014, analysis was performed by				
	GC/MS.				
HBFC-241B4 (C3H3FBr4)	With reference to US EPA 5021A:	mg/kg	1	n.d.	-
	2014, analysis was performed by				
	GC/MS.				
HBFC-235B1 (C3H2F5Br)	With reference to US EPA 5021A:	mg/kg	1	n.d.	-
	2014, analysis was performed by				
	GC/MS.				
HBFC-234B2 (C3H2F4Br2)	With reference to US EPA 5021A:	mg/kg	1	n.d.	-
	2014, analysis was performed by				
	GC/MS.				
HBFC-233B3 (C3H2F3Br3)	With reference to US EPA 5021A:	mg/kg	1	n.d.	-
	2014, analysis was performed by				
	GC/MS.				
HBFC-232B4 (C3H2F2Br4)	With reference to US EPA 5021A:	mg/kg	1	n.d.	-
	2014, analysis was performed by				
	GC/MS.				
HBFC-231B5 (C3H2FBr5)	With reference to US EPA 5021A:	mg/kg	1	n.d.	-
	2014, analysis was performed by				
	GC/MS.				
HBFC-226B1 (C3HF6Br)	With reference to US EPA 5021A:	mg/kg	1	n.d.	-
	2014, analysis was performed by				
	GC/MS.				



No.: ETR22A04789M01 Date: 10-Nov-2022 Page: 14 of 44

HD MICROSYSTEMS 250 CHEESEQUAKE ROAD-BLDG. 424, PARLIN, NJ 08859-1241

Test Item(s)	Method	Unit	MDL	Result	Limit
HBFC-225B2 (C3HF5Br2)	With reference to US EPA 5021A:	mg/kg	1	No.1 n.d.	
11b1 C 225b2 (C5111 5b12)	2014, analysis was performed by GC/MS.	mg/kg	1	n.a.	
HBFC-224B3 (C3HF4Br3)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HBFC-223B4 (C3HF3Br4)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HBFC-222B5 (C3HF2Br5)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HBFC-221B6 (C3HFBr6)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HBFC-151B1 (C2H4FBr)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HBFC-142B1 (C2H3F2Br)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HBFC-141B2 (C2H3FBr2)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HBFC-133B1 (C2H2F3Br)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HBFC-132B2 (C2H2F2Br2)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HBFC-131B3 (C2H2FBr3)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HBFC-124B1 (C2HF4Br)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-



No.: ETR22A04789M01 Date: 10-Nov-2022 Page: 15 of 44

HD MICROSYSTEMS 250 CHEESEQUAKE ROAD-BLDG. 424, PARLIN, NJ 08859-1241

Test Item(s)	Method	Unit	MDL	Result No.1	Limit
HBFC-123B2 (C2HF3Br2)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HBFC-122B3 (C2HF2Br3)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HBFC-121B4 (C2HFBr4)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HBFC-31B1 (CH2FBr) (CAS No.: 373-52-4)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HBFC-22B1 (CHF2Br) (CAS No.: 1511-62-2)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HBFC-21B2 (CHFBr2) (CAS No.: 1868- 53-7)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
Hydrofluorocarbon (HFCs)					
HFC-23 (CHF3) (CAS No.: 75-46-7)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HFC-32 (CH2F2) (CAS No.: 75-10-5)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HFC-41 (CH3F) (CAS No.: 593-53-3)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HFC-43-10mee (C5H2F10)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HFC-125 (C2HF5)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-



No.: ETR22A04789M01 Date: 10-Nov-2022 Page: 16 of 44

HD MICROSYSTEMS 250 CHEESEQUAKE ROAD-BLDG. 424, PARLIN, NJ 08859-1241

Test Item(s)	Method	Unit	MDL	Result No.1	Limit
HFC-134 (C2H2F4)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HFC-134a (CH2FCF3) (CAS No.: 811- 97-2)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HFC-143 (CH3F3)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HFC-143a (CH3F3)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HFC-152a (C2H4F2) (CAS No.: 75-37-6)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HFC-227ea (C3HF7) (CAS No.: 431-89- 0)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HFC-236fa (CAS No.: 431-63-0)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HFC-245ca (C3H3F5)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HFC-245fa (C3H3F5)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HFC-365mfc (C4H5F5)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
HFC-236ea (C3H2F6) (CAS No.: 431-63- 0)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-



No.: ETR22A04789M01 Date: 10-Nov-2022 Page: 17 of 44

HD MICROSYSTEMS 250 CHEESEQUAKE ROAD-BLDG. 424, PARLIN, NJ 08859-1241

Test Item(s)	Method	Unit	MDL	Result	Limit
				No.1	
Perfluorocarbon (PFCs)					
1,4-dihydrooctafluorobutane (CAS No.: 377-36-6)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
2-Perfluoromethylpentane (CAS No.: 355-04-4)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
Decafluorobutane (CAS No.: 355-25-9)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
F14 (CAS No.: 75-73-0)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
Fluorocarbon 116 (CAS No.: 76-16-4)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
Freon 218 (CAS No.: 76-19-7)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
Freon C318 (CAS No.: 115-25-3)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
Nonafluor-2- (trifluoromethyl)butane (CAS No.: 594-91-2)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
Perfluorisobutene (CAS No.: 382-21-8)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
Perfluorohexane (CAS No.: 355-42-0)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
Perfluoro-n-pentane (CAS No.: 678-26-2)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-



No.: ETR22A04789M01 Date: 10-Nov-2022 Page: 18 of 44

HD MICROSYSTEMS 250 CHEESEQUAKE ROAD-BLDG. 424, PARLIN, NJ 08859-1241

Test Item(s)	Method	Unit	MDL	Result	Limit
				No.1	
Perfluor-1-butene (CAS No.: 357-26-6)	With reference to US EPA 5021A:	mg/kg	1	n.d.	-
	2014, analysis was performed by				
	GC/MS.				
Chlorinate hydrocarbon (CHCs)					
1,1-Dichloropropene (CAS No.: 563-58-	With reference to US EPA 5021A:	mg/kg	1	n.d.	-
6)	2014, analysis was performed by				
	GC/MS.				
1,2-Dichloroethane (CAS No.: 107-06-	With reference to US EPA 5021A:	mg/kg	1	n.d.	-
2)	2014, analysis was performed by				
	GC/MS.				
2,2-Dichloropropane (CAS No.: 594-20-	With reference to US EPA 5021A:	mg/kg	1	n.d.	-
7)	2014, analysis was performed by				
	GC/MS.				
Carbon tetrachloride (CAS No.: 56-23-	With reference to US EPA 5021A:	mg/kg	1	n.d.	-
5)	2014, analysis was performed by				
	GC/MS.				
Chloromethane (CAS No.: 74-87-3)	With reference to US EPA 5021A:	mg/kg	1	n.d.	-
	2014, analysis was performed by				
	GC/MS.				
cis-1,2-Dichloroethene (CAS No.: 156-	With reference to US EPA 5021A:	mg/kg	1	n.d.	-
59-2)	2014, analysis was performed by				
	GC/MS.				
cis-1,3-Dichloropropene (CAS No.:	With reference to US EPA 5021A:	mg/kg	1	n.d.	-
10061-01-5)	2014, analysis was performed by				
	GC/MS.				
Hexachlorobutadiene (CAS No.: 87-68-	With reference to US EPA 5021A:	mg/kg	1	n.d.	-
3)	2014, analysis was performed by				
	GC/MS.				
trans-1,2-Dichloroethene (CAS No.:	With reference to US EPA 5021A:	mg/kg	1	n.d.	-
156-60-5)	2014, analysis was performed by				
	GC/MS.				
trans-1,3-Dichloropropene (CAS No.:	With reference to US EPA 5021A:	mg/kg	1	n.d.	-
10061-02-6)	2014, analysis was performed by				
	GC/MS.				



No.: ETR22A04789M01 Date: 10-Nov-2022 Page: 19 of 44

HD MICROSYSTEMS 250 CHEESEQUAKE ROAD-BLDG. 424, PARLIN, NJ 08859-1241

Test Item(s)	Method	Unit	MDL	Result No.1	Limit
Dichloromethane, Methylene chloride (CAS No.: 75-09-2)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
1,2-Dichloropropane (CAS No.: 78-87-5)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
1,1,1,2-Tetrachloroethane (CAS No.: 630-20-6)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
1,1,1-Trichloroethane (CAS No.: 71-55-6)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
1,1,2-Trichloroethane (CAS No.: 79-00-5)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
1,1,2,2-Tetrachloroethane (CAS No.: 79-34-5)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
1,1-Dichloroethylene (CAS No.: 75-35-4)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
1,1-Dichloroethane (CAS No.: 75-34-3)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
Chloroethane (CAS No.: 75-00-3)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
Tetrachloroethene (CAS No.: 127-18-4)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
Trichloroethylene (CAS No.: 79-01-6)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
1,3-Dichloropropane (CAS No.: 142-28-9)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-



No.: ETR22A04789M01 Date: 10-Nov-2022 Page: 20 of 44

HD MICROSYSTEMS 250 CHEESEQUAKE ROAD-BLDG. 424, PARLIN, NJ 08859-1241

Test Item(s)	Method	Unit	MDL	Result	Limit
				No.1	
Chloroform (CAS No.: 67-66-3)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
1,2,3-Trichloropropane (CAS No.: 96- 18-4)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
2-benzotriazol-2-yl-4,6-di-tert- butylphenol (UV-320) (CAS No.: 3846- 71-7)	With reference to US EPA 3550C: 2007, analysis was performed by GC/MS.	mg/kg	5	n.d.	-
Phosphine (CAS No.: 7803-51-2)	Analysis was performed by gas detector tube. (Test Condition: 40°C, 30 mins)	ppmV	0.08	n.d.	-
Cobalt dichloride (CoCl ₂) (CAS No.: 7646-79-9)	With reference to RSTS-EE-SVHC-007, analysis was performed by ICP-OES, IC. Calculated from the results of Cobalt, Chlorine.	mg/kg	50 ▲	n.d.	-
Benzene (CAS No.: 71-43-2)	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	mg/kg	1	n.d.	-
Sulfur(S) (CAS No.: 7704-34-9)	Analysis was performed by Element Analyzer.	% (w/w)	0.1	n.d.	-
Bis(2-methoxyethyl) phthalate (DMEP) (CAS No.: 117-82-8)	With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.	mg/kg	50	n.d.	-
Tris(2-chloroethyl) phosphate (TCEP) (CAS No.: 115-96-8)	With reference to US EPA 3550C: 2007, analysis was performed by GC/MS.	mg/kg	5	n.d.	-
Tris(1,3-dichloro-2-propyl) phosphate (CAS No.: 13674-87-8)	With reference to US EPA 3550C: 2007, analysis was performed by GC/MS.	mg/kg	5	n.d.	-



No.: ETR22A04789M01 Date: 10-Nov-2022

HD MICROSYSTEMS 250 CHEESEQUAKE ROAD-BLDG. 424, PARLIN, NJ 08859-1241

Test Item(s)	Method	Unit	MDL	Result	Limit
				No.1	
Bisphenol A (CAS No.: 80-05-7)	With reference to US EPA 3550C: 2007, analysis was performed by LC/MS/MS.	mg/kg	1	n.d.	-
Polycyclic Aromatic Hydrocarbons (PAHs)					
Benzo[a]pyrene (CAS No.: 50-32-8)		mg/kg	0.2	n.d.	Δ
Benzo[e]pyrene (CAS No.: 192-97-2)		mg/kg	0.2	n.d.	Δ
Benzo[a]anthracene (CAS No.: 56-55-3)		mg/kg	0.2	n.d.	Δ
Benzo[b]fluoranthene (CAS No.: 205-99-2)		mg/kg	0.2	n.d.	Δ
Benzo[j]fluoranthene (CAS No.: 205-82-3)		mg/kg	0.2	n.d.	Δ
Benzo[k]fluoranthene (CAS No.: 207- 08-9)		mg/kg	0.2	n.d.	Δ
Chrysene (CAS No.: 218-01-9)	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	mg/kg	0.2	n.d.	Δ
Dibenzo[a,h]anthracene (CAS No.: 53-70-3)	With reference to AfPS GS 2019:01 PAK, analysis was performed by	mg/kg	0.2	n.d.	Δ
Benzo[g,h,i]perylene (CAS No.: 191-24- 2)	GC/MS.	mg/kg	0.2	n.d.	Δ
Indeno[1,2,3-c,d]pyrene (CAS No.: 193-39-5)		mg/kg	0.2	n.d.	Δ
Anthracene (CAS No.: 120-12-7)		mg/kg	0.2	n.d.	Δ
Fluoranthene (CAS No.: 206-44-0)		mg/kg	0.2	n.d.	Δ
Phenanthrene (CAS No.: 85-01-8)		mg/kg	0.2	n.d.	Δ
Pyrene (CAS No.: 129-00-0)		mg/kg	0.2	n.d.	Δ
Naphthalene (CAS No.: 91-20-3)		mg/kg	0.2	n.d.	Δ
Sum of 15 PAHs		mg/kg	-	n.d.	Δ

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Page: 21 of 44



No.: ETR22A04789M01 Date: 10-Nov-2022 Page: 22 of 44

HD MICROSYSTEMS 250 CHEESEQUAKE ROAD-BLDG. 424, PARLIN, NJ 08859-1241

Test Item(s)	Method	Unit	MDL	Result	Limit
				No.1	
Tris(1-chloro-2-propyl) phosphate (TCPP) (CAS No.: 13674-84-5)	With reference to US EPA 3550C: 2007, analysis was performed by GC/MS.	mg/kg	5	n.d.	-
Triphenyl phosphate (CAS No.: 115-86-6)	With reference to US EPA 3550C: 2007, analysis was performed by GC/MS.	mg/kg	5	n.d.	-
Trixylyl phosphate (CAS No.: 25155-23-1)	With reference to US EPA 3550C: 2007, analysis was performed by GC/MS.	mg/kg	25	n.d.	-
2,2-Bis(chloromethyl) trimethylene bis(bis(2-chloroethyl) phosphate) (CAS No.: 38051-10-4)	With reference to US EPA 3550C: 2007, analysis was performed by GC/MS.	mg/kg	25	n.d.	-
Tris(4-tert-butylphenyl) phosphate (CAS No.: 78-33-1, 28777-70-0)	With reference to US EPA 3550C: 2007, analysis was performed by GC/MS.	mg/kg	5	n.d.	-
4-(tert-butyl) phenyl diphenyl phosphate (CAS No.: 56803-37-3)	With reference to US EPA 3550C: 2007, analysis was performed by GC/MS.	mg/kg	5	n.d.	-
Bis(tert-butylphenyl) phenyl phosphate (DBPP) (CAS No.: 65652-41-7)	With reference to US EPA 3550C: 2007, analysis was performed by GC/MS.	mg/kg	5	n.d.	-
Tributyl phosphate (TBP) (CAS No.: 126-73-8)	With reference to US EPA 3550C: 2007, analysis was performed by GC/MS.	mg/kg	5	n.d.	-
Trimethyl phosphate (CAS No.: 512-56-1)	With reference to US EPA 3550C: 2007, analysis was performed by GC/MS.	mg/kg	5	n.d.	-
Tris-(1-aziridinyl) phosphine oxide (CAS No.: 545-55-1)	With reference to US EPA 3550C: 2007, analysis was performed by GC/MS.	mg/kg	5	n.d.	-
Tricresyl phosphate and isomers (CAS No.: 1330-78-5)	With reference to US EPA 3550C: 2007, analysis was performed by GC/MS.	mg/kg	5	n.d.	-
Tri-o-tolyphosphate (CAS No.: 78-30-8)	With reference to US EPA 3550C: 2007, analysis was performed by GC/MS.	mg/kg	5	n.d.	-



No.: ETR22A04789M01 Date: 10-Nov-2022 Page: 23 of 44

HD MICROSYSTEMS 250 CHEESEQUAKE ROAD-BLDG. 424, PARLIN, NJ 08859-1241

Test Item(s)	Method	Unit	MDL	Result	Limit
				No.1	
Tris(2-ethylhexyl) phosphate (CAS No.:	With reference to US EPA 3550C:	mg/kg	5	n.d.	-
[78-42-2]	2007, analysis was performed by GC/MS.				
Tris(2,3-dichloropropyl) phosphate (CAS No.: 78-43-3)	With reference to US EPA 3550C: 2007, analysis was performed by	mg/kg	5	n.d.	-
	GC/MS.		_		
Triethyl phosphate (CAS No.: 78-40-0)	With reference to US EPA 3550C: 2007, analysis was performed by GC/MS.	mg/kg	5	n.d.	-
Tri-m-tolyphosphate (CAS No.: 563-04-2)	With reference to US EPA 3550C: 2007, analysis was performed by GC/MS.	mg/kg	5	n.d.	-
Tri-p-tolyphosphate (CAS No.: 78-32-0)	With reference to US EPA 3550C: 2007, analysis was performed by GC/MS.	mg/kg	5	n.d.	-
Tris(2-butoxyethyl) phosphate (CAS No.: 78-51-3)	With reference to US EPA 3550C: 2007, analysis was performed by GC/MS.	mg/kg	5	n.d.	-

Note:

- 1. mg/kg = ppm; 0.1wt% = 0.1% = 1000ppm
- 2. MDL = Method Detection Limit
- 3. n.d. = Not Detected (Less than MDL)
- 4. "-" = Not Regulated
- 5. **= Qualitative analysis (No Unit)
- 6. Negative = Undetectable; Positive = Detectable
- 7. Testing range of asbestos qualitative analysis is from less than 0.1% to 100%. The judgment criterion: asbestos fibers being found is shown as "Positive"; asbestos fibers not being found is shown as "Negative".
- 8. PFOS and its salts including:
 - CAS No.: 1763-23-1, 2795-39-3, 29457-72-5, 29081-56-9, 70225-14-8, 56773-42-3, 251099-16-8, 307-35-7, 91036-71-4, 4021-47-0 and others.
- 9. PFOA and its salts including:
 - CAS No.: 335-67-1, 335-95-5, 2395-00-8, 335-93-3, 335-66-0, 3825-26-1 and others.



No.: ETR22A04789M01 Date: 10-Nov-2022 Page: 24 of 44

HD MICROSYSTEMS 250 CHEESEQUAKE ROAD-BLDG. 424, PARLIN, NJ 08859-1241

10. ▲ : The MDL was evaluated for element / tested substance.

Conversion Formula : $AX = A \times F$

AX	Α	F
Bis(tributyltin)oxide (TBTO)	Tributyl Tin (TBT)	1.0276

Parameter Conversion Table: https://eecloud.sgs.com/Region_TW/DocDownload.aspx#otherDoc

- 11. ppmV = Part Per Million by Volume
- 12. Tedlar bag size / Sampling Volume:

Benzene	5L/0.3L
Toluene	5L/0.2L
Phosphine	5L/0.5L
Formaldehyde	5L/0.5L

13. Gas detecting tube test can be interfered by certain substances especially;

Benzene - Aromatic hydrocarbons

Toluene - Aromatic hydrocarbons (Xylene, Cumene, Ethylbenzene, Diethylbenzene and etc.)

Formaldehyde - Aldehydes and Ketones

Phosphine - Arsine, etc.

- 14. Unless otherwise stated, the decision rule for conformity reporting is based on Binary Statement for Simple Acceptance Rule (w=0) stated in ILAC-G8:09/2019. According to this rule, the judgement of conformity is based on the comparing test results with limits.
- 15. This is the additional test report of ETR22A04789.



No.: ETR22A04789M01 Date: 10-Nov-2022 Page: 25 of 44

HD MICROSYSTEMS 250 CHEESEQUAKE ROAD-BLDG. 424, PARLIN, NJ 08859-1241

Remark:

△ AfPS (German commission for Product Safety): GS PAHs requirements

	Category 1	Category 2		Category 3	
Parameter	Materials intended to be placed in the mouth, or materials in toys (Directive 2009/48/EC) or articles for children up to 3 years of age with intended longterm skin contact (> 30 seconds).	Materials that are not in Category 1, with intended or foreseeable long-term skin contact (> 30 seconds) or short-term repetitive contact with the skin.		Materials not covered by	
		a. Use by children under 14	b. Other consumer products	a. Use by children under 14	b. Other consumer products
Naphthalene	< 1	< 2		< 10	
Phenanthrene	< 1 Sum	< 5 Sum	< 10 Sum	< 20 Sum	< 50 Sum
Anthracene					
Fluoranthene					
Pyrene					
Benzo[a]anthracene	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Chrysene	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Benzo[b]fluoranthene	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Benzo[j]fluoranthene	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Benzo[k]fluoranthene	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Benzo[a]pyrene	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Benzo[e]pyrene	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Indeno[1,2,3-c,d] pyrene	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Dibenzo[a,h]anthracene		< 0.2	< 0.5	< 0.5	< 1
Benzo[g,h,i]perylene	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Sum of 15 PAH	< 1	< 5	< 10	< 20	< 50

Unit: mg/kg




No.: ETR22A04789M01 Date: 10-Nov-2022 Page: 26 of 44

HD MICROSYSTEMS 250 CHEESEQUAKE ROAD-BLDG. 424, PARLIN, NJ 08859-1241

Analytical flow chart of heavy metal

These samples were dissolved totally by pre-conditioning method according to below flow chart.

(Cr⁶⁺ test method excluded)





No.: ETR22A04789M01 Date: 10-Nov-2022 Page: 27 of 44


HD MICROSYSTEMS 250 CHEESEQUAKE ROAD-BLDG. 424, PARLIN, NJ 08859-1241

Analytical flow chart - PBBs / PBDEs

First testing process

Optional screen process

Confirmation process






No.: ETR22A04789M01 Date: 10-Nov-2022 Page: 28 of 44

HD MICROSYSTEMS 250 CHEESEQUAKE ROAD-BLDG. 424, PARLIN, NJ 08859-1241

Analytical flow chart - Phthalate

[Test method: IEC 62321-8]






No.: ETR22A04789M01 Date: 10-Nov-2022 Page: 29 of 44

HD MICROSYSTEMS 250 CHEESEQUAKE ROAD-BLDG. 424, PARLIN, NJ 08859-1241

Analytical flow chart - Halogen






No.: ETR22A04789M01 Date: 10-Nov-2022

HD MICROSYSTEMS 250 CHEESEQUAKE ROAD-BLDG. 424, PARLIN, NJ 08859-1241

Analytical flow chart - HBCDD



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.


Page: 30 of 44



No.: ETR22A04789M01 Date: 10-Nov-2022

HD MICROSYSTEMS 250 CHEESEQUAKE ROAD-BLDG. 424, PARLIN, NJ 08859-1241

Analytical flow chart - PFAS (including PFOA/PFOS/its related compound, etc.)



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Page: 31 of 44




No.: ETR22A04789M01 Date: 10-Nov-2022 Page: 32 of 44

HD MICROSYSTEMS 250 CHEESEQUAKE ROAD-BLDG. 424, PARLIN, NJ 08859-1241

Analytical flow chart of elements (Heavy metal included)

These samples were dissolved totally by pre-conditioning method according to below flow chart.

【Reference method: US EPA 3051A、US EPA 3052】



* US EPA 3051A method does not add HF.




No.: ETR22A04789M01 Date: 10-Nov-2022

HD MICROSYSTEMS 250 CHEESEQUAKE ROAD-BLDG. 424, PARLIN, NJ 08859-1241

Analytical flow chart

* Apply to: PCBs, PCNs, PCTs, Mirex, Chlorinated Paraffins, DBBT



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.


Page: 33 of 44



No.: ETR22A04789M01 Date: 10-Nov-2022 Page: 34 of 44

HD MICROSYSTEMS 250 CHEESEQUAKE ROAD-BLDG. 424, PARLIN, NJ 08859-1241

Analytical flow chart - Organic-Tin






No.: ETR22A04789M01 Date: 10-Nov-2022 Page: 35 of 44

HD MICROSYSTEMS 250 CHEESEQUAKE ROAD-BLDG. 424, PARLIN, NJ 08859-1241

Analysis flow chart - PVC






No.: ETR22A04789M01 Date: 10-Nov-2022 Page: 36 of 44

HD MICROSYSTEMS 250 CHEESEQUAKE ROAD-BLDG. 424, PARLIN, NJ 08859-1241

Analytical flow chart - Formaldehyde






No.: ETR22A04789M01 Date: 10-Nov-2022

HD MICROSYSTEMS 250 CHEESEQUAKE ROAD-BLDG. 424, PARLIN, NJ 08859-1241

Analysis flow chart for determination of Asbestos [Reference method: EPA 600/R-93/116]



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Page: 37 of 44




No.: ETR22A04789M01 Date: 10-Nov-2022 Page: 38 of 44

HD MICROSYSTEMS 250 CHEESEQUAKE ROAD-BLDG. 424, PARLIN, NJ 08859-1241

Analytical flow chart of volatile organic compounds (VOCs)

【Reference method: US EPA 5021A】






No.: ETR22A04789M01 Date: 10-Nov-2022 Page: 39 of 44

HD MICROSYSTEMS 250 CHEESEQUAKE ROAD-BLDG. 424, PARLIN, NJ 08859-1241

Analytical flow chart - Cobalt dichloride






No.: ETR22A04789M01 Date: 10-Nov-2022 Page: 40 of 44

HD MICROSYSTEMS 250 CHEESEQUAKE ROAD-BLDG. 424, PARLIN, NJ 08859-1241

Analytical flow chart - Elements analyzer






No.: ETR22A04789M01 Date: 10-Nov-2022 Page: 41 of 44

HD MICROSYSTEMS 250 CHEESEQUAKE ROAD-BLDG. 424, PARLIN, NJ 08859-1241

Analytical flow chart - Organic phosphorus compounds






No.: ETR22A04789M01 Date: 10-Nov-2022

HD MICROSYSTEMS 250 CHEESEQUAKE ROAD-BLDG. 424, PARLIN, NJ 08859-1241

Analytical flow chart - Bisphenol A



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.


Page: 42 of 44



No.: ETR22A04789M01 Date: 10-Nov-2022 Page: 43 of 44

HD MICROSYSTEMS
250 CHEESEOUAKE ROAD-BLDG. 424, PARLIN, NJ 08859-1241

Analytical flow chart - PAHs (Polycyclic Aromatic Hydrocarbons)





No.: ETR22A04789M01 Date: 10-Nov-2022

HD MICROSYSTEMS 250 CHEESEQUAKE ROAD-BLDG. 424, PARLIN, NJ 08859-1241

* The tested sample / part is marked by an arrow if it's shown on the photo. *

ETR22A04789



** End of Report **

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Page: 44 of 44