

No.: EKR23900057 Date: 08-Sep-2023 Page: 1 of 16

LINTEC CORPORATION

1-1-1 KOISHIKAWA, BUNKYO-KU, TOKYO 112-0002 JAPAN

The following sample(s) was/were submitted and identified by the applicant as:

Sample Submitted By : LINTEC CORPORATION

Sample Name : ADWILL LC86R SERIES(REGARDLESS OF THICKNESS AND SIZE)

Style/Item No. : LC86R25 D8CD, LC86R25 D12CD, LC86R40 D8CD, LC86R40 D12CD, LC86R25 C8CD,

LC86R25 C12CD, LC86R40 C8CD, LC86R40 C12CD

Order No. : 230829-LT-CN-03-242

\_\_\_\_\_\_

Sample Receiving Date

: 01-Sep-2023

**Testing Period** 

: 01-Sep-2023 to 08-Sep-2023

**Test Requested** 

(1) As specified by client, with reference to RoHS 2011/65/EU Annex II and amending Directive (EU) 2015/863 to determine Cadmium, Lead, Mercury, Cr(VI), PBBs, PBDEs, DBP, BBP, DEHP, DIBP contents in the submitted sample(s).

(2) Please refer to next pages for the other item(s).

**Test Results** 

Please refer to following pages.

Conclusion

(1) Based on the performed tests on selected part of submitted sample(s), the test results of Cadmium, Lead, Mercury, Cr(VI), PBBs, PBDEs, DBP, BBP, DEHP, DIBP comply with the limits as set by RoHS Directive (EU) 2015/863 amending Annex II to

Directive 2011/65/EU.

Ray Chang Ph.D./Departmen Wanager Signed for and on behalf SGS TAIWAN LTD.
Chemical Laboratory-Kaohsiung



PIN CODE: 445A4C16



No.: EKR23900057 Date: 08-Sep-2023 Page: 2 of 16

LINTEC CORPORATION 1-1-1 KOISHIKAWA, BUNKYO-KU, TOKYO 112-0002 JAPAN

### **Test Part Description**

No.1 : BLACK ADHESIVE (EXCLUDING THE RELEASE LINNER)

#### Test Result(s)

| Test Item(s)               | Method                                 | Unit  | MDL | Result | Limit |
|----------------------------|--|-------|-----|--------|-------|
|                            |  |       |     | No.1   |       |
| Cadmium (Cd)               | With reference to IEC 62321-5: 2013,   | mg/kg | 2   | n.d.   | 100   |
|                            | analysis was performed by ICP-OES.     |       |     |        |       |
| Lead (Pb)                  | With reference to IEC 62321-5: 2013,   | mg/kg | 2   | n.d.   | 1000  |
|                            | analysis was performed by ICP-OES.     |       |     |        |       |
| Mercury (Hg)               | With reference to IEC 62321-4: 2013+   | mg/kg | 2   | n.d.   | 1000  |
|                            | AMD1: 2017, analysis was performed     |       |     |        |       |
|                            | by ICP-OES.                            |       |     |        |       |
| Hexavalent Chromium Cr(VI) | With reference to IEC 62321-7-2: 2017, | mg/kg | 8   | n.d.   | 1000  |
|                            | analysis was performed by UV-VIS.      |       |     |        |       |
| Monobromobiphenyl          |  | mg/kg | 5   | n.d.   | -     |
| Dibromobiphenyl            |  | mg/kg | 5   | n.d.   | 1     |
| Tribromobiphenyl           |  | mg/kg | 5   | n.d.   | 1     |
| Tetrabromobiphenyl         |  | mg/kg | 5   | n.d.   | -     |
| Pentabromobiphenyl         |  | mg/kg | 5   | n.d.   | 1     |
| Hexabromobiphenyl          |  | mg/kg | 5   | n.d.   | 1     |
| Heptabromobiphenyl         |  | mg/kg | 5   | n.d.   | ı     |
| Octabromobiphenyl          |  | mg/kg | 5   | n.d.   | -     |
| Nonabromobiphenyl          |  | mg/kg | 5   | n.d.   | ı     |
| Decabromobiphenyl          |  | mg/kg | 5   | n.d.   | -     |
| Sum of PBBs                | With reference to IEC 62321-6: 2015,   | mg/kg | -   | n.d.   | 1000  |
| Monobromodiphenyl ether    | analysis was performed by GC/MS.       | mg/kg | 5   | n.d.   | -     |
| Dibromodiphenyl ether      |  | mg/kg | 5   | n.d.   | -     |
| Tribromodiphenyl ether     |  | mg/kg | 5   | n.d.   | ı     |
| Tetrabromodiphenyl ether   |  | mg/kg | 5   | n.d.   | 1     |
| Pentabromodiphenyl ether   |  | mg/kg | 5   | n.d.   | 1     |
| Hexabromodiphenyl ether    |  | mg/kg | 5   | n.d.   | -     |
| Heptabromodiphenyl ether   |  | mg/kg | 5   | n.d.   | -     |
| Octabromodiphenyl ether    |  | mg/kg | 5   | n.d.   |       |
| Nonabromodiphenyl ether    |  | mg/kg | 5   | n.d.   | -     |
| Decabromodiphenyl ether    |  | mg/kg | 5   | n.d.   | -     |
| Sum of PBDEs               |  | mg/kg | -   | n.d.   | 1000  |



No.: EKR23900057 Date: 08-Sep-2023 Page: 3 of 16

LINTEC CORPORATION

1-1-1 KOISHIKAWA, BUNKYO-KU, TOKYO 112-0002 JAPAN

| Test Item(s)  | Method  | Unit  | MDL    | Result | Limit |
|---|---|-------|--------|--------|-------|
|   |   |       |        | No.1   |       |
| Dibutyl phthalate (DBP)                                       |   | mg/kg | 50     | n.d.   | 1000  |
| Butyl benzyl phthalate (BBP)                                  |   | mg/kg | 50     | n.d.   | 1000  |
| Diisobutyl phthalate (DIBP)                                   |   | mg/kg | 50     | n.d.   | 1000  |
| Di-(2-ethylhexyl) phthalate (DEHP)                            |   | mg/kg | 50     | n.d.   | 1000  |
| Diisodecyl phthalate (DIDP) (CAS No.:                         |   | mg/kg | 50     | n.d.   | _     |
| 26761-40-0, 68515-49-1)                                       | With reference to IEC 62321-8: 2017,                                    |       |        |        |       |
| Diisononyl phthalate (DINP) (CAS No.: 28553-12-0, 68515-48-0) | analysis was performed by GC/MS.  | mg/kg | 50     | n.d.   | -     |
| Di-n-octyl phthalate (DNOP) (CAS No.: 117-84-0)               |   | mg/kg | 50     | n.d.   | -     |
| Di-n-pentyl phthalate (DNPP) (CAS No.: 131-18-0)              |   | mg/kg | 50     | n.d.   | -     |
| Antimony (Sb) (CAS No.: 7440-36-0)                            | With reference to US EPA 3052: 1996, analysis was performed by ICP-OES. | mg/kg | 2      | n.d.   | -     |
| Beryllium (Be) (CAS No.: 7440-41-7)                           | With reference to US EPA 3052: 1996, analysis was performed by ICP-OES. | mg/kg | 2      | n.d.   | -     |
| Polychlorinated biphenyls (PCBs)                              | With reference to US EPA 3550C: 2007, analysis was performed by GC/MS.  | mg/kg | 0.5    | n.d.   | -     |
| Polychlorinated naphthalene (PCNs)                            | With reference to US EPA 3550C: 2007, analysis was performed by GC/MS.  | mg/kg | 5      | n.d.   | -     |
| Polychlorinated terphenyls (PCTs)                             | With reference to US EPA 3550C: 2007, analysis was performed by GC/MS.  | mg/kg | 0.5    | n.d.   | -     |
| Short Chain Chlorinated Paraffins(C10-                        | With reference to ISO 18219-1: 2021,                                    | mg/kg | 50     | n.d.   | -     |
| C13) (SCCP) (CAS No.: 85535-84-8)                             | analysis was performed by GC/MS.  | - 4   | F.0    |        |       |
| Fluorine (F) (CAS No.: 14762-94-8)                            | NGU 6   | mg/kg | 50     | n.d.   | -     |
| Chlorine (Cl) (CAS No.: 22537-15-1)                           | With reference to BS EN 14582: 2016,                                    | mg/kg | 50     | 174    |       |
| Bromine (Br) (CAS No.: 10097-32-2)                            | analysis was performed by IC.   | mg/kg | 50     | n.d.   | -     |
| lodine (I) (CAS No.: 14362-44-8)                              | W. 100 17252 2004   | mg/kg | 50     | n.d.   | -     |
| Tributyl tin (TBT)  | With reference to ISO 17353: 2004, analysis was performed by GC/FPD.    | mg/kg | 0.03   | n.d.   | -     |
| Triphenyl tin (TPT)   | With reference to ISO 17353: 2004, analysis was performed by GC/FPD.    | mg/kg | 0.03   | n.d.   | -     |
| Bis(tributyltin) oxide (TBTO) (CAS No.: 56-35-9)              | Calculated from the result of Tributyl Tin (TBT).                       | mg/kg | 0.03 🛦 | n.d.   | -     |
| Dibutyl tin (DBT)   | With reference to ISO 17353: 2004, analysis was performed by GC/FPD.    | mg/kg | 0.03   | n.d.   | -     |



No.: EKR23900057 Date: 08-Sep-2023 Page: 4 of 16

LINTEC CORPORATION

1-1-1 KOISHIKAWA, BUNKYO-KU, TOKYO 112-0002 JAPAN

| Test Item(s)   | Method  | Unit  | MDL  | Result   | Limit |
|--|---|-------|------|----------|-------|
|  |   |       |      | No.1     |       |
| Dioctyl tin (DOT)  | With reference to ISO 17353: 2004, analysis was performed by GC/FPD.                      | mg/kg | 0.03 | n.d.     | -     |
| PFOS and its salts (CAS No.: 1763-23-1 and its salts)  | With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.                 | mg/kg | 0.01 | n.d.     | -     |
| Perfluorooctanoic acid (PFOA) and it's salt (CAS No.: 335-67-1 and its salts)  | With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.                 | mg/kg | 0.01 | n.d.     | -     |
| Hexabromocyclododecane (HBCDD) and all major diastereoisomers identified (α- HBCDD, β- HBCDD, γ- HBCDD) (CAS No.: 25637-99-4, 3194-55-6 (134237-51-7, 134237-50-6, 134237-52-8)) | With reference to IEC 62321: 2008, analysis was performed by GC/MS.                       | mg/kg | 5    | n.d.     |       |
| Polyvinyl chloride (PVC)   | With reference to ASTM E1252: 2021,<br>analysis was performed by FT-IR and<br>Flame Test. | **    | -    | Negative | -     |

#### Note:

- 1. mg/kg = ppm; 0.1wt% = 0.1% = 1000ppm
- 2. MDL = Method Detection Limit
- 3. n.d. = Not Detected (Less than MDL)
- 4. "-" = Not Regulated
- 5. \*\*= Qualitative analysis (No Unit)
- 6. Negative = Undetectable; Positive = Detectable
- 7. ▲ : The MDL was evaluated for element / tested substance.

Conversion Formula :  $AX = A \times F$ 

| AX                           | Α                  | F      |
|------------------------------|--------------------|--------|
| Bis(tributyltin)oxide (TBTO) | Tributyl Tin (TBT) | 1.0276 |

Parameter Conversion Table: https://eecloud.sqs.com/Region TW/DocDownload.aspx?name=Others

8. Unless otherwise stated, the decision rule for conformity reporting is based on Binary Statement for Simple Acceptance Rule (w=0) stated in ILAC-G8:09/2019. According to this rule, the judgement of conformity is based on the comparing test results with limits.



No.: EKR23900057 Date: 08-Sep-2023 Page: 5 of 16

LINTEC CORPORATION
1-1-1 KOISHIKAWA, BUNKYO-KU, TOKYO 112-0002 JAPAN

#### PFAS Remark:

The quantitative technology of PFAS is to analyze the specific structure of PFAS substances. However, PFAS acid and its salts with the same carbon number group have the same specific structure that can be identified. The tested results of the analyzed specific structure cannot be distinguished to identify the contribution from PFAS acid or its salts. Therefore, the tested results display the sum of concentrations of PFAS acids and its salts with the same carbon number group. The concentration of PFAS substances in the below table have been included in the tested results, please refer to the table for relevant information: (The listed PFAS substances are examples only, it do not include all PFAS salts with the same carbon number group.)

| Classification of Substance<br>Concentration   | Substance Name  | CAS No.     |
|--|---|-------------|
| Perfluorooctane sulfonates and its salts (PFOS and its salts) (CAS No.: 1763-23-1 and its salts) | Potassium perfluorooctanesulfonate (PFOS-K)   | 2795-39-3   |
|  | Perfluorooctanesulfonic acid, lithium salt (PFOS-Li)  | 29457-72-5  |
|  | Perfluorooctanesulfonic acid, ammonium salt (PFOS-NH <sub>4</sub> )   | 29081-56-9  |
|  | Perfluorooctane sulfonate diethanolamine salt (PFOS-NH(OH) <sub>2</sub> )   | 70225-14-8  |
|  | Perfluorooctanesulfonic acid,tetraethylammonium salt (PFOS-N(C <sub>2</sub> H <sub>5</sub> ) <sub>4</sub> )               | 56773-42-3  |
|  | N-decyl-N,N-dimethyldecan-1-aminium<br>1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-<br>heptadecafluorooctane-1-sulfonate (PFOS-DDA) | 251099-16-8 |
|  | Perfluorooctane sulfonyl fluoride (POSF)  | 307-35-7    |
|  | Perfluorooctanesulfonic acid, magnesium salt (PFOS-Mg)  | 91036-71-4  |
|  | Perfluorooctanesulfonic acid, sodium salt (PFOS-Na)   | 4021-47-0   |
| Perfluorooctanoic acid and its salts (PFOA and its salts) (CAS No.: 335-67-1 and its salts)      | Sodium perfluorooctanoate (PFOA-Na)   | 335-95-5    |
|  | Potassium perfluorooctanoate (PFOA-K)   | 2395-00-8   |
|  | Silver perfluorooctanote (PFOA-Ag)  | 335-93-3    |
|  | Perfluorooctanoyl fluoride (PFOA-F)   | 335-66-0    |
|  | Ammonium pentadecafluorooctanoate (APFO)  | 3825-26-1   |
|  | Lithium perfluorooctanoate (PFOA-Li)  | 17125-58-5  |




LINTEC CORPORATION 1-1-1 KOISHIKAWA, BUNKYO-KU, TOKYO 112-0002 JAPAN

No.: EKR23900057

#### Analytical flow chart of Heavy Metal

Date: 08-Sep-2023

These samples were dissolved totally by pre-conditioning method according to below flow chart. ( $Cr^{6+}$  test method excluded)



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.


Page: 6 of 16



No.: EKR23900057 Date: 08-Sep-2023 Page: 7 of 16

LINTEC CORPORATION 1-1-1 KOISHIKAWA, BUNKYO-KU, TOKYO 112-0002 JAPAN

#### PBB/PBDE analytical FLOW CHART






LINTEC CORPORATION 1-1-1 KOISHIKAWA, BUNKYO-KU, TOKYO 112-0002 JAPAN

No.: EKR23900057

### Analytical flow chart of phthalate content

Date: 08-Sep-2023

【Test method: IEC 62321-8】



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Page: 8 of 16




LINTEC CORPORATION 1-1-1 KOISHIKAWA, BUNKYO-KU, TOKYO 112-0002 JAPAN

No.: EKR23900057

### Analytical flow chart

Date: 08-Sep-2023

\* Apply to: PCBs, PCNs, PCTs, Mirex, Chlorinated Paraffins, DBBT



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Page: 9 of 16




LINTEC CORPORATION 1-1-1 KOISHIKAWA, BUNKYO-KU, TOKYO 112-0002 JAPAN

No.: EKR23900057

# Analytical flow chart of Halogen

Date: 08-Sep-2023



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Page: 10 of 16




LINTEC CORPORATION 1-1-1 KOISHIKAWA, BUNKYO-KU, TOKYO 112-0002 JAPAN

No.: EKR23900057

#### Analytical flow chart - Organic-Tin

Date: 08-Sep-2023



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.


Page: 11 of 16



No.: EKR23900057 Date: 08-Sep-2023

LINTEC CORPORATION 1-1-1 KOISHIKAWA, BUNKYO-KU, TOKYO 112-0002 JAPAN

### Analytical flow chart - PFAS (including PFOA/PFOS/its related compound, etc.)



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Page: 12 of 16



LINTEC CORPORATION 1-1-1 KOISHIKAWA, BUNKYO-KU, TOKYO 112-0002 JAPAN


No.: EKR23900057

#### Analytical flow chart of Elements (Heavy metal included)

Date: 08-Sep-2023

These samples were dissolved totally by pre-conditioning method according to below flow chart.

【Reference method: US EPA 3051 \ US EPA 3052】



\* US EPA 3051 method does not add HF.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Page: 13 of 16




LINTEC CORPORATION 1-1-1 KOISHIKAWA, BUNKYO-KU, TOKYO 112-0002 JAPAN

No.: EKR23900057

### Analytical flow chart - HBCDD

Date: 08-Sep-2023



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.


Page: 14 of 16



No.: EKR23900057 Date: 08-Sep-2023 Page: 15 of 16

LINTEC CORPORATION 1-1-1 KOISHIKAWA, BUNKYO-KU, TOKYO 112-0002 JAPAN

#### Analysis flow chart - PVC






No.: EKR23900057 Date: 08-Sep-2023 Page: 16 of 16

LINTEC CORPORATION 1-1-1 KOISHIKAWA, BUNKYO-KU, TOKYO 112-0002 JAPAN

\* The tested sample / part is marked by an arrow if it's shown on the photo. \*

# EKR23900057



\*\* End of Report \*\*